Un

	Application No.	Applicant(s)	
Notice of Allowability	10/712,622	PARKER ET AL.	•
	Examiner	Art Unit	
	Ali Alavi	2875	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-88 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT F of the Office or upon petition by the applicant. See 37 CFR 1.31	S (OR REMAINS) CLOSED  i) or other appropriate comr  RIGHTS. This application is	in this application. If not included nunication will be mailed in due cour	SE THIS
1. A This communication is responsive to divisional application	n filed on 11/13/2003.		
2. The allowed claim(s) is/are <u>1-19.</u>			•
3. $\boxtimes$ The drawings filed on <u>13 November 2003</u> are accepted by	y the Examiner.		•
4. ☐ Acknowledgment is made of a claim for foreign priority to a) ☐ All b) ☐ Some* c) ☐ None of the:		) or (f).	
1. Certified copies of the priority documents hav			•
2. Certified copies of the priority documents have	• •		
3. Copies of the certified copies of the priority do	ocuments have been receiv	ed in this national stage application f	rom the
International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:	· · · · · · · · · · · · · · · · · · ·		•
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDONI THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to fi MENT of this application.	le a reply complying with the require	ments
5. A SUBSTITUTE OATH OR DECLARATION must be subrince INFORMAL PATENT APPLICATION (PTO-152) which give	nitted. Note the attached Ex res reason(s) why the oath	(AMINER'S AMENDMENT or NOTIC or declaration is deficient.	CE OF
6. CORRECTED DRAWINGS ( as "replacement sheets") mu	st be submitted.		
(a) ☐ including changes required by the Notice of Draftsper	son's Patent Drawing Revi	ew ( PTO-948) attached	•
1) ☐ hereto or 2) ☐ to Paper No./Mail Date	_		•
(b) ☐ including changes required by the attached Examiner Paper No./Mail Date	's Amendment / Comment	or in the Office action of	
Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in	1.84(c)) should be written on the header according to 37 C	the drawings in the front (not the back FR 1.121(d).	c) of
7. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT	osit of BIOLOGICAL MATERIAL FOR THE DEPOSIT OF B	TERIAL must be submitted. Note IOLOGICAL MATERIAL.	the
	•		
			* •
Attachm nt(s)			•
1. Notice of References Cited (PTO-892)	5. Notice of I	nformal Patent Application (PTO-15	2)
2.  Notice of Draftperson's Patent Drawing Review (PTO-948)		Summary (PTO-413), ./Mail Date	•
3. Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date		s Amendment/Comment	
4.   Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner'	s Statement of Reasons for Allowand	ce.
of Biological Material	9. 🗌 Other	·	

Application/Control Number: 10/712,622

Art Unit: 2875

## Reasons for allowance

- Claims 1-19 are allowed.
- 2. The following is an examiner's statement of reasons for allowance:

The prior art of record taken either singularly or in combination fails to anticipate or fairly suggest the limitation of the dependent claims, in such manner that a rejection under 35 U.S.C. 102 or 103 would be proper. The prior art fails to teach a combination of all the claimed features as presented in independent claims, which include a plurality of relatively rigid light guides in overlying relation to one another, each of said light guides having at least one light input surface, at least one light source positioned along said light input surface for supplying light to said light guides, and a plurality of light extracting deformities on at least one surface of each of said light guides for controlling an output ray angle distribution of emitted light to suit a particular application, said light guides being positioned relative to one another such that the light emitted from at least one of said light guides passes through another of said light guides in a desired direction or output ray angle distribution.

Any inquiry concerning this communication or earlier communication from the examiner should be directed to Ali Alavi whose telephone number is (571) 272-2365. The examiner can normally be reached between 7:00 A.M. to 5:30 P.M. Tuesday to Friday. If attempts to reach the examiner by phone are unsuccessful, the examiner's supervisor, Sandy O'Shea can be reached at (571) 272-2378 or you may fax your inquiry to the Central Fax at (703) 872-9306.

PRIMARY EXAMINES

Page 2